

LED DOMO Parklampa Standard
PRODUCT SPECIFICATION



25W



25W



Epistar Lumileds



Rubycon




E27



Stable structure

Dimensions






Product Specifications


Product Name	LED DOMO Parklampa Standard
Part No	LL360-25PS-E27
Dimension	Ø 85*180.5 MM
Materials	
LED Brand	Epistar/Lumileds
LED Type	SMD 3030
LED QTY	80 PCS
Housing	PC+AL
Housing Color	White+Gray
Cover	Clear/Frosted
Technical Parameters	
Color Temperature	2700-6500K
CRI	>80
Lumen	>3250 LM
Lumen Efficacy	130-140 lm/W
Viewing Angle	360 degree
Input Voltage	AC100-277V 50/60Hz
PF	>0.9
Waterproof Rating	IP60
Base Options	E27
Working temperature	-40-55°C
warranty	3 Years
Surge voltage	4000V

Luminous Emittance

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM






Constitute



Attention

- 1: Switch off power to the luminaire.
- 2: Remove old ballast or disconnect from existing lamp holder. please dispose of ballast in accordance with local environmental laws.
- 3: Remove existing lamps.
- 4: Bypassing the ballast/ignitor. and connect the lamps-holder wires directly to AC 100-277V, 50/60HZ, please make it is grounded.
- 5: Screw in new bulb into the lamp-holder firmly.
- 6: Switch on power.



Product Packing Specification

Watt	Box Size	Net Weight/light	Gross Weight Per CTN	CTN Size	Qty per CTN
25W	104*104*204mm	0.45 kg	12.5 kg	420*320*420mm	24

